


LOPOLIGHT



INNOVATIVE **MARINE** LIGHTING



RANGE 0 - 12 METER


✓	Product	Mounting	Number	Weight (g)	Dimensions (mm)	Power draw (watt)	Viewable dist(nm)	
ALUMINIUM								
■	 Starboard	Vertical	100-001	220	92x56x28	0,6	1	 DMA, MCA USCG, BSH
■	 Port	Vertical	100-002	220	92x56x28	0,8	1	 DMA, MCA USCG, BSH
■	 Combined side.	Horizontal	100-003	340	Ø92x28	1,5	1	 DMA, MCA USCG, BSH
■	 Combined side.	Vertical	100-004	300	92x75x28	1,5	1	 DMA, MCA USCG, BSH
■	 Stern	Horizontal	300-005	320	Ø92x28	2,1	2	 135° DMA, MCA USCG, BSH
■	 Stern	Vertical	300-006	320	92x75x28	2,1	2	 135° DMA, MCA USCG, BSH
■	 Tricolor	Horizontal	100-005	340	Ø92x28	3,6	1/2	 135° DMA, MCA USCG, BSH
■	 Tricolor w/anchor	Horizontal	100-009	340	Ø92x28	3,6/1,8	1/2	 135° DMA, MCA USCG, BSH
■	 Masthead	Vertical	200-010	290	92x75x28	2,5	2	 225° DMA, MCA USCG, BSH
■	 Masthead/anchor	Horizontal	200-020	340	92x28	2,5/3,0	2	 MCA, USCG
■	 Masthead/anchor stern	Horizontal	200-030	340	Ø92x28	3,8/2,1	2	 135° DMA, MCA USCG, BSH
■	 Anchor light	Horizontal	200-012	340	Ø92x28	2,3	2	 360° DMA, MCA USCG, BSH
■	 Red 360°	Horizontal	200-014	340	Ø92x28	1,5	2	 360° DMA, MCA USCG, BSH
	 Green 360°	Horizontal	200-015	340	Ø92x28	1,8	2	
■	 Red 2x180°	Vertical	200-016	460	92x56x28	2,5	2	 180° DMA, MCA USCG
	 Green 2x180°	Vertical	200-018	460	92x56x28	3,9	2	
■	 White 2x180°	Vertical	200-024	460	92x56x28	3,8	2	 180° MCA, USCG

STAINLESS STEEL

■	 Starboard	Vertical	100-201	500	92x56x28	0,6	1	 MCA, USCG
■	 Port	Vertical	100-202	500	92x56x28	0,8	1	 MCA, USCG
■	 Combined	Horizontal	100-203	650	Ø92x28	1,5	1	 MCA, USCG
■	 Combined	Vertical	100-204	600	92x75x28	1,5	1	 MCA, USCG
■	 Stern	Vertical	300-206	700	92x75x28	2,1	2	 135° MCA, USCG
■	 360° White	Horizontal	200-212	650	Ø92x28	2,3	2	 360° MCA, USCG

RANGE 12 - 20 METER

✓	Product	Mounting	Number	Weight (g)	Dimensions (mm)	Power draw (watt)	Viewable dist(nm)		
ALUMINIUM									
■	 Starboard	Vertical	300-001	220	92x56x28	2,2	2		DMA, MCA USCG, BSH
■	 Port	Vertical	300-002	220	92x56x28	1,4	2		DMA, MCA USCG, BSH
■	 Starboard	Horizontal	300-008	410	Ø92x28	2,2	2		DMA, MCA USCG, BSH
■	 Port	Horizontal	300-009	410	Ø92x28	1,4	2		DMA, MCA USCG, BSH
■	 Combined side	Horizontal	200-003	340	Ø92x28	3,6	2		DMA, MCA USCG, BSH
■	 Combined side	Vertical	200-004	340	92x56x28	3,6	2		DMA, MCA USCG, BSH
■	 Stern	Horizontal	300-005	320	Ø92x28	2,1	2		DMA, MCA USCG, BSH
■	 Stern	Vertical	300-006	320	92x56x28	2,1	2		DMA, MCA USCG, BSH
■	 Towing	Horizontal	200-013	320	Ø92x28	1,9	2		MCA, USCG
■	 Tricolor	Horizontal	200-005	520	Ø92x44	3,6	2		DMA, MCA USCG, BSH
■	 Tricolor w/anchor	Horizontal	200-007	470	Ø92x44	3,6/3,0	2		DMA, MCA USCG, BSH
■	 Masthead	Vertical	200-011	400	92x75x44	3,2	3		DMA, MCA USCG, BSH
■	 Masthead/anchor	Horizontal	200-021	460	Ø92x44	3,2/3,0	3/2		MCA, USCG
■	 Masthead Stern w/anchor	Horizontal	200-019	460	Ø92x44	4,0/3,0	3/2		MCA, USCG
■	 360° White anchor	Horizontal	200-012	340	Ø92x28	2,3	2		DMA, MCA USCG, BSH
■	 Red 360°	Horizontal	200-014	340	Ø92x28	1,5	2		DMA, MCA USCG, BSH
■	 Green 360°	Horizontal	200-015	340	Ø92x28	1,8	2		
■	 Red 2x180°	Vertical	200-016	460	92x56x28	2,5	2		DMA, MCA USCG
■	 Green 2x180°	Vertical	200-018	460	92x56x28	3,9	2		
■	 White 2x180°	Vertical	200-024	460	92x56x28	3,8	2		MCA, USCG



RANGE 12 - 20 METER

✓	Product	Mounting	Number	Weight (g)	Dimensions (mm)	Power draw (watt)	Viewable dist(nm)		
STAINLESS STEEL									
■	 Starboard	Vertical	300-201	500	92x56x28	2,2	2		MCA, USCG
■	 Port	Vertical	300-202	500	92x56x28	1,4	2		MCA, USCG
■	 Combined	Horizontal	200-203	650	Ø92x28	3,6	2		
■	 Combined	Vertical	200-204	600	92x75x28	3,6	2		MCA, USCG
■	 Stern	Vertical	300-206	700	92x75x28	2,1	2		MCA, USCG
■	 Anchor	Horizontal	200-212	650	Ø92x28	2,3	2		MCA, USCG
■	 Red 360°	Horizontal	200-214	650	Ø92x28	1,5	2		MCA, USCG
■	 Green 360°	Horizontal	200-215	650	Ø92x28	1,8	2		
■	 Masthead	Horizontal	200-219	875	Ø92x44	4,0/3,0	3/2		MCA, USCG
■	 Masthead/anchor	Horizontal	200-221	875	Ø92x44	3,2/3,0	3/2		MCA, USCG

SPECIAL LIGHTS

■	 360° White strobe/warning light	Horizontal	200-012/S	340	Ø92x28	2,3	3		
■	 360° Blue fuelling light	Horizontal	200-022	340	Ø92x28	1,8/3,5	1,2		
■	 360° Blue strobe/warning light	Horizontal	200-022/S	340	Ø92x28	2,3	3		
■	 360° Amber whistle light	Horizontal	200-023	340	Ø92x28	4,0	2		
■	 Suez light (red stern)	Horizontal	200-031	340	Ø92x28	2,0	2		

DECK/INTERIOR LIGHTS

■	 Flush mount	built-in	400-106	100	Ø65x2+12	1,4/0,6
■	 Surface mount	rear mount	400-105	100	Ø65x14	1,4/0,6
■	 Spreader light	front mount	400-107	100	Ø65x14	1,4/0,6


ACCESSORIES

■	Windex mount	Horizontal	400-008	85	Ø92x20
■	Stacking ring kit	Horizontal	400-013	50	Ø92x6
■	2 cord - triple switch		400-012	25	
■	Pro-mount side cable entry		400-003	350	Ø92x35
■	Pro-mount bottom cable entry		400-004	350	Ø92x35
■	Nav light controller - PRO		400-018	100	DIN rail 36mm
■	Nav light control (4 lights)		400-015	150	100x90x42
■	Mounting angle sidelights		400-017	392	92x62x28



RANGE 20 - 50 METER

✓	Product	Mounting	Number	Weight (g)	Dimensions (mm)	Power draw (watt)	Viewable dist(nm)		
ALUMINIUM									
■	 Starboard	Vertical	300-001	220	92x56x28	2,2	2		DMA, MCA USCG, BSH
■	 Port	Vertical	300-002	220	92x56x28	1,4	2		DMA, MCA USCG, BSH
■	 Starboard	Horizontal	300-008	410	Ø92x28	2,2	2		DMA, MCA USCG, BSH
■	 Port	Horizontal	300-009	410	Ø92x28	1,4	2		DMA, MCA USCG, BSH
■	 Stern	Horizontal	300-005	320	Ø92x28	2,1	2		DMA, MCA USCG, BSH
■	 Stern	Vertical	300-006	320	92x75x28	2,1	2		DMA, MCA USCG, BSH
■	 Towing	Horizontal	200-013	320	Ø92x28	1,9	2		MCA, USCG
■	 Masthead	Vertical	300-011	1850	92x85x160	7,9	5		MCA, USCG
■	 360° White w/anchor	Horizontal	200-012	340	Ø92x28	2,3	2		MCA, USCG
■	 Red 360°	Horizontal	200-014	340	Ø92x28	1,5	2		DMA, MCA USCG, BSH
■	 Green 360°	Horizontal	200-015	340	Ø92x28	1,8	2		
■	 Red 2x180°	Vertical	200-016	460	92x56x28	2,5	2		DMA, MCA USCG
■	 Green 2x180°	Vertical	200-018	460	92x56x28	3,9	2		
■	 White 2x180°	Vertical	200-024	460	92x56x28	3,8	2		MCA, USCG
STAINLESS STEEL									
■	 Starboard	Vertical	300-201	220	92x56x28	2,2	2		MCA, USCG
■	 Port	Vertical	300-202	500	92x56x28	1,4	2		MCA, USCG
■	 Stern	Vertical	300-206	700	92x75x28	2,1	2		MCA, USCG
■	 360° White w/anchor	Horizontal	200-212	650	Ø92x28	2,3	2		MCA, USCG
■	 Red 360°	Horizontal	200-214	340	Ø92x28	1,5	2		MCA, USCG
■	 Green 360°	Horizontal	200-215	340	Ø92x28	1,8	2		



RANGE ABOVE 50 METER

✓	Product	Mounting	Number	Weight (g)	Dimensions (mm)	Power draw (watt)	Viewable dist(nm)		
ALUMINIUM									
■	 Starboard	Vertical	300-101	350	92x56x44	2,9	3		MCA, USCG
■	 Port	Vertical	300-102	350	92x56x44	1,7	3		MCA, USCG
■	 Stern	Vertical	300-106	500	92x75x44	2,8	3		MCA, USCG
■	 Towing	Vertical	300-107	500	92x75x44	2,8	3		
■	 Starboard double stacked*	Horizontal	300-108ST	1700	Ø92x130**	2,9	3		
■	 Port double stacked*	Horizontal	300-109ST	1700	Ø92x130**	1,7	3		
■	 Stern double stacked*	Horizontal	300-105ST	1700	Ø92x130**	2,8	3		
■	 Towing double stacked*	Horizontal	300-113ST	1700	Ø92x130**	2,8	3		
■	 Masthead	Vertical	300-111	2800	92x85x260	16,5	6		MCA, USCG
■	 360° White anchor	Horizontal	300-112	600	Ø92x78	4,8	3		MCA, USCG
■	 Red 360°	Horizontal	300-114	400	Ø92x63	4,1	3		MCA, USCG
■	 Green 360°	Horizontal	300-115	400	Ø92x63	2,6	3		

*) The 300-108ST / 300-109ST / 300-105ST / 300-113ST are delivered as a stacked combination of 1 primary light and 1 secondary light as per SOLAS regulations.

**) The 300-109ST / 300-109ST / 300-105ST / 300-113ST have 3 different mounting options/cable runs - the dimensions are different for each option.

STAINLESS STEEL

■	 Starboard	Vertical	300-203	775	92x56x44	2,9	3		MCA, USCG
■	 Port	Vertical	300-204	775	92x56x44	1,7	3		MCA, USCG
■	 Stern	Vertical	300-205	800	92x75x44	2,8	3		MCA, USCG



LOPOLIGHT APS • Ved Klaedebo 12B • DK-2970 Hoersholm • Denmark
info@lopolight.com • Tel. +45 3248 5030 • Fax. +45 3248 5032

www.lopolight.com